



Protecting What's Important FOR OVER 65 YEARS



Life is unpredictable.

FireKing® specializes in “unpredictable.”

For over 65 years, FireKing® has been providing high-quality products designed to protect your company's vital business records. FireKing® offers a broad array of products that are manufactured or created using the most innovative, advanced product development technology available.

A Family of Features

Disaster strikes in many forms. Fire. Water. Impact. Which is why FireKing® utilizes an arsenal of safeguards to secure critical and valuable items against devastation.

Use these icons to guide you to the FireKing® products that will best suit your needs.



1/2-hr fire rated



1-hr fire rated



1 1/2-hr fire rated



2-hr fire rated



Made in the U.S.A.



Water Resistant
All FireKing files are designed to prevent water damage resulting from sprinklers and fire hoses



1/2-hr ETL rating
Verified to protect hard drives, CDs, DVDs, flash drives, and thumb drives from exposure to heat for 30 minutes



30 ft impact rated
Designed to withstand a 30 ft drop



125° rating
For media protection. The internal temperature will not exceed 125°



1-hr 125° rating
For media protection. The internal temperature will not exceed 125°



2-hr 125° rating
For media protection. The internal temperature will not exceed 125°



3-hr 125° rating
For media protection. The internal temperature will not exceed 125°



high security key lock
Key Lock to resist picking and drilling



Theft resistant



burglary rated

For testing information (UL® and ETL), visit ul.com and intertek.com



From interesting tidbits about FireKing® to fun did you know about the industry as a whole, be sure to check out the **FireKing® Hot Facts** featured throughout this catalog.

CONTENTS

FIRE RATED	2
File Features and Cabinet Colors.....	4
FireKing® Lateral File Cabinets.....	5
FireKing® Vertical File Cabinets.....	5
FireKing 25®	6
FireKing® 2-Hour Vertical File Cabinets	6
Patriot by FireKing®	7
FireKing Turtle®.....	7
FireKing® Card, Check & Note Files	8
FireKing® Safe-In-A-File	8
FireKing FireShield®	9
FireKing® End Tab Filing.....	10
FireKing® Storage Cabinets.....	10
Accessories	11
FireKing® 1-Hour Fire Rated Data Safes.....	12
FireKing® 2-Hour Fire with Impact Rated Data Safes ...	12
FireKing® 3-Hour Fire with Impact Rated Data Safes ...	13
FireKing® Mixed Media Safe	13
FireKing® Fire & Water Resistant Safes	14
SureSeal by FireKing® Fire & Water Rated Chests.....	15
SECURITY	16
FireKing® Depository Safes.....	18
FireKing® Trim Safe.....	18
FireKing® Personal Safes.....	19
FireKing® Portable Safe	19
SAFETY RATINGS	20





FIRE RATED PRODUCTS

An unforeseen disaster can do serious damage to irreplaceable documents.

Whether you're securing business-related items or protecting your most precious personal items, FireKing® is the solution to trust. Be prepared before disasters happen!

FIRE RATED

File Features

FIRE RESISTANT INSULATION
Gypsum insulation that is reinforced by heavy gauge lattice providing peace of mind from fire and impact.

WATER RESISTANT
All FireKing® files are designed to prevent water damage resulting from sprinklers and fire hoses.

STEEL PANELS
In the event that a panel is damaged, it can be easily replaced.

FINISH
Environmentally friendly electrostatic powder coating applied to all sides, including bottom.

DRAWER BODIES
High drawer sides accommodate hanging folders.

DRAWER SUSPENSIONS
Maintenance free, lifetime guarantee.

DRAWER LOCKS
All the files provide general locking through either a standard key lock or UL® listed, high security locks.

DRAWER PULLS
Available with surface mounted or recessed handles depending on model.

INSULATION BETWEEN ALL DRAWERS
Makes each drawer a separate insulated container.

TWO POSITION DRAWER CATCH
Allows access to certain drawers while others remain locked. (not available on the Patriot files)

Cabinet Colors

Every color tells a story, and FireKing® offers those preferred by today's office designers and decorators. Custom colors are also available (an upcharge may apply).

Turtle® Files available in Arctic White, Black Stone, and Parchment only.

Patriot by FireKing® Files available in Parchment and Black only.

FireShield® available in Black Stone and Diamond Stone only.

To aid your selection, your FireKing® dealer will be glad to show you color charts.




Colors samples are not an exact match.
Please contact Customer Service if matching a specific color.



FireKing® Lateral File Cabinets

The same features of our Vertical File Cabinets – in a sleek design.


4-3822-C **2-3822-C**
Shown in Brown *Shown in Parchment*



FireKing® Vertical File Cabinets

Stand tall. Stand assured. Stand with FireKing®. Our Vertical File Cabinets are available in 2, 3 and 4 drawer sizes.

4-2131-C **2-2131-C**
Shown in Parchment *Shown in Black*



Specifications

Model No.	Description	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.
FireKing® Lateral File Cabinets*				
4-3122-C	4 Drawer	10 ³ / ₈ " x 25 ³ / ₁₆ " x 15 ¹ / ₈ "	52 ³ / ₄ " x 31 ³ / ₁₆ " x 22 ¹ / ₈ "	794 lbs.
4-3822-C	4 Drawer	10 ³ / ₈ " x 31 ¹⁵ / ₁₆ " x 15 ¹ / ₈ "	52 ³ / ₄ " x 37 ¹ / ₂ " x 22 ¹ / ₈ "	907 lbs.
4-4422-C	4 Drawer	10 ³ / ₄ " x 38 ¹⁵ / ₁₆ " x 15 ¹ / ₈ "	52 ³ / ₄ " x 44 ¹ / ₂ " x 22 ¹ / ₈ "	1,019 lbs.
3-3122-C	3 Drawer	10 ³ / ₈ " x 25 ³ / ₁₆ " x 15 ¹ / ₈ "	40 ¹ / ₄ " x 31 ³ / ₁₆ " x 22 ¹ / ₈ "	574 lbs.
3-3822-C	3 Drawer	10 ³ / ₄ " x 31 ¹⁵ / ₁₆ " x 15 ¹ / ₈ "	40 ¹ / ₄ " x 37 ¹ / ₂ " x 22 ¹ / ₈ "	756 lbs.
3-4422-C	3 Drawer	10 ³ / ₄ " x 38 ¹⁵ / ₁₆ " x 15 ¹ / ₈ "	40 ¹ / ₄ " x 44 ¹ / ₂ " x 22 ¹ / ₈ "	791 lbs.
2-3122-C	2 Drawer	10 ³ / ₈ " x 25 ³ / ₁₆ " x 15 ¹ / ₈ "	27 ³ / ₄ " x 31 ³ / ₁₆ " x 22 ¹ / ₈ "	456 lbs.
2-3822-C	2 Drawer	10 ³ / ₄ " x 31 ¹⁵ / ₁₆ " x 15 ¹ / ₈ "	27 ³ / ₄ " x 37 ¹ / ₂ " x 22 ¹ / ₈ "	532 lbs.
2-4422-C	2 Drawer	10 ³ / ₄ " x 38 ¹⁵ / ₁₆ " x 15 ¹ / ₈ "	27 ³ / ₄ " x 44 ¹ / ₂ " x 22 ¹ / ₈ "	584 lbs.

Laterals: Multipurpose lateral file cabinets designed for letter and legal filing. Fully equipped for letter and legal hanging folders.

FireKing® Vertical File Cabinets*				
4-1831-C	4 Drawer Letter	10 ³ / ₈ " x 12 ³ / ₁₆ " x 26"	52 ³ / ₄ " x 17 ³ / ₄ " x 31 ¹ / ₁₆ "	603 lbs.
4-2131-C	4 Drawer Legal	10 ³ / ₈ " x 15 ¹ / ₄ " x 26"	52 ³ / ₄ " x 20 ¹³ / ₁₆ " x 31 ¹ / ₁₆ "	664 lbs.
3-1831-C	3 Drawer Letter	10 ³ / ₈ " x 12 ³ / ₁₆ " x 26"	40 ¹ / ₄ " x 17 ³ / ₄ " x 31 ¹ / ₁₆ "	476 lbs.
3-2131-C	3 Drawer Legal	10 ³ / ₈ " x 15 ¹ / ₄ " x 26"	40 ¹ / ₄ " x 20 ¹³ / ₁₆ " x 31 ¹ / ₁₆ "	526 lbs.
2-1831-C	2 Drawer Letter	10 ³ / ₈ " x 12 ³ / ₁₆ " x 26"	27 ³ / ₄ " x 17 ³ / ₄ " x 31 ¹ / ₁₆ "	348 lbs.
2-2131-C	2 Drawer Legal	10 ³ / ₈ " x 15 ¹ / ₄ " x 26"	27 ³ / ₄ " x 20 ¹³ / ₁₆ " x 31 ¹ / ₁₆ "	383 lbs.

* Limited lifetime warranty with free replacement after fire guarantee. Contact customer service for warranty terms and conditions. 888-891-1970

FIRE RATED

FireKing 25® >


Save space with this economical filing option. Available in 2 or 4-drawer models in letter or legal widths, with an impressive depth of 25".

4-2125-C

Shown in Parchment

2-1825-C

Shown in Black




< FireKing® 2-Hour Vertical File Cabinets

The ultimate in fire rated records protection. Made with Thermocell II®, a proprietary insulation, which provides twice the protection.

4-1956-2 and 2-2130-2

Shown in Brown



Specifications

Model No.	Description	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.
FireKing 25® *				
4-1825-C	4 Drawer Letter 25" Deep	10 ³ / ₈ " x 12 ⁵ / ₁₆ " x 19 ³ / ₄ "	52 ³ / ₄ " x 17 ³ / ₄ " x 25 ¹ / ₁₆ "	508 lbs.
4-2125-C	4 Drawer Legal 25" Deep	10 ³ / ₈ " x 15 ¹ / ₄ " x 19 ³ / ₄ "	52 ³ / ₄ " x 20 ¹³ / ₁₆ " x 25 ¹ / ₁₆ "	551 lbs.
2-1825-C	2 Drawer Letter 25" Deep	10 ³ / ₈ " x 12 ⁵ / ₁₆ " x 19 ³ / ₄ "	27 ³ / ₄ " x 17 ³ / ₄ " x 25 ¹ / ₁₆ "	287 lbs.
2-2125-C	2 Drawer Legal 25" Deep	10 ³ / ₈ " x 15 ¹ / ₄ " x 19 ³ / ₄ "	27 ³ / ₄ " x 20 ¹³ / ₁₆ " x 25 ¹ / ₁₆ "	326 lbs.
FireKing® 2-Hour Vertical File Cabinets*				
4-1956-2	4 Drawer Letter	11 ⁹ / ₁₆ " x 12 ¹⁵ / ₁₆ " x 25 ¹ / ₈ "	56 ³ / ₁₆ " x 19" x 31 ¹ / ₁₆ "	957 lbs.
4-2157-2	4 Drawer Legal	11 ¹³ / ₁₆ " x 15 ¹ / ₄ " x 26"	57" x 21 ⁹ / ₁₆ " x 32 ¹ / ₁₆ "	1,021 lbs.
3-1943-2	3 Drawer Letter	11 ⁹ / ₁₆ " x 12 ¹⁵ / ₁₆ " x 25 ¹ / ₈ "	42 ¹³ / ₁₆ " x 19" x 31 ¹ / ₁₆ "	665 lbs.
3-2144-2	3 Drawer Legal	11 ¹³ / ₁₆ " x 15 ¹ / ₄ " x 26"	43 ⁷ / ₁₆ " x 21 ⁵ / ₁₆ " x 32 ¹ / ₁₆ "	752 lbs.
2-1929-2	2 Drawer Letter	11 ⁹ / ₁₆ " x 12 ¹⁵ / ₁₆ " x 25 ¹ / ₈ "	29 ¹ / ₂ " x 19" x 31 ¹ / ₁₆ "	477 lbs.
2-2130-2	2 Drawer Legal	11 ¹³ / ₁₆ " x 15 ¹ / ₄ " x 26"	29 ⁷ / ₈ " x 21 ⁵ / ₁₆ " x 32 ¹ / ₁₆ "	548 lbs.

*Limited lifetime warranty with free replacement after fire guarantee. Contact customer service for warranty terms and conditions.

Patriot by FireKing® >

FireKing's signature integrity in an economically priced file cabinet. Comes with camlock that controls 2 drawers.

4P1825-C and 2P1825-C
Shown in Black

Follower blocks available on some models.



1-hr
fire rated



30 ft
impact rated



water
resistant



Made in the
U.S.A.



< FireKing Turtle®

Tough shell. Tough protection. This 22" deep file cabinet accommodates letter and legal size documents without compromising performance. Comes with a standard keylock.

4R1822-C and 2R1822-C
Shown in Parchment

No follower blocks are available for this unit.



1-hr
fire rated



30 ft
impact rated



water
resistant



1/2-hr
ETL rating



Made in the
U.S.A.



The United States government stores its treasury bonds in FireKing® cabinets.

Model No.	Description	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.
Patriot by FireKing®*				
4P1831-C	4 Drawer Letter	10 ³ / ₈ " x 12 ³ / ₁₆ " x 26"	52 ³ / ₄ " x 17 ¹ / ₁₆ " x 31 ¹ / ₁₆ "	603 lbs.
4P2131-C	4 Drawer Legal	10 ³ / ₈ " x 15 ¹ / ₄ " x 26"	52 ³ / ₄ " x 20 ³ / ₄ " x 31 ¹ / ₁₆ "	664 lbs.
4P1825-C	4 Drawer Letter/Legal	10 ³ / ₈ " x 12 ³ / ₁₆ " x 19 ³ / ₄ "	52 ³ / ₄ " x 17 ¹ / ₁₆ " x 25"	508 lbs.
2P1831-C	2 Drawer Letter	10 ³ / ₈ " x 12 ³ / ₁₆ " x 26"	27 ³ / ₄ " x 17 ¹ / ₁₆ " x 31 ¹ / ₁₆ "	348 lbs.
2P2131-C	2 Drawer Legal	10 ³ / ₈ " x 15 ¹ / ₄ " x 26"	27 ³ / ₄ " x 20 ³ / ₄ " x 31 ¹ / ₁₆ "	383 lbs.
2P1825-C	2 Drawer Letter/Legal	10 ³ / ₈ " x 12 ³ / ₁₆ " x 19 ³ / ₄ "	27 ³ / ₄ " x 17 ¹ / ₁₆ " x 25"	287 lbs.

A space saving file 25" deep that holds letter size hanging folders front to back and legal size hanging folders side-to-side.

*10 year limited warranty.

FireKing Turtle®**

4R1822-C	4 Drawer Vertical	10 ³ / ₈ " x 12 ³ / ₁₆ " x 15 ¹ / ₈ "	52 ³ / ₄ " x 17 ³ / ₄ " x 22 ¹ / ₈ "	435 lbs.
2R1822-C	2 Drawer Vertical	10 ³ / ₈ " x 12 ³ / ₁₆ " x 15 ¹ / ₈ "	27 ³ / ₄ " x 17 ³ / ₄ " x 22 ¹ / ₈ "	251 lbs.

Turtles: A space saving file 22" deep that holds letter size hanging folders front to back and legal size hanging folders side-to-side.

**Limited lifetime warranty with free replacement after fire guarantee. Contact customer service for warranty terms and conditions.
sales@filingtoday.com www.FilingToday.com 888-891-1970

FIRE RATED

FireKing® Card, Check & Note Files >

Confidentiality, check. Available in 4 and 6-drawer models. UL® listed keylock top drawer to control all drawers.

6-2552-C

Shown in Parchment



high-security
key lock

1-hr
fire rated

30 ft
impact rated

water
resistant

Made in the
U.S.A.



Shown in Parchment
with 32026 Inserts
(sold separately)



Top door conceals
inner door



Inside
Safe-In-A-File



Remaining
file drawers

< FireKing® Safe-In-A-File

FireKing's Safe-In-A-File is cleverly designed to conceal a spacious safe behind a false top drawer panel. Included in the topmost file of each FireKing® Safe-In-A-File Cabinet is a fire resistant safe providing even more protection. Safe-In-A-File is ideal for the small or home office.

Features:


- 2.4 cubic foot capacity safe
- Inner safe door constructed of ¼" steel
- Safe features internal relocking device
- Both safe and file drawers offer fire protection
- UL® listed Group II combination lock
- Safe interiors are available in Graphite color only

4-2131-CSF

Shown in Parchment

2-2131-CSF

Shown in Black



high-security
key lock

1-hr
fire rated

30 ft
impact rated

water
resistant

theft
resistant

1/2-hr
ETL rating

Made in the
U.S.A.

Specifications

Model No.	Description	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.
FireKing® Card, Check & Note Files*				
6-2552-C	6 Drawer	6¼" x 19¾" x 26"	52¾" x 25½" x 31½"	863 lbs.
4-2536-C	4 Drawer	6¼" x 19¾" x 26"	36⅞" x 25½" x 31½"	644 lbs.
FireKing® Safe-In-A-File*				
4-2131-CSF	4 Drawer Legal	10⅝" x 15¼" x 26"	52¾" x 20⅜" x 31½"	728 lbs.
3-2131-CSF	3 Drawer Legal	10⅝" x 15¼" x 26"	40½" x 20⅜" x 31½"	644 lbs.
2-2131-CSF	2 Drawer Legal	10⅝" x 15¼" x 26"	27¾" x 20⅜" x 31½"	501 lbs.

Safe-In-A-File: Safe inside dimensions - 10⅜"H, 16⅜"W, 24⅜"D. Safe interiors available in Graphite color only.

*Limited lifetime warranty with free replacement after fire guarantee. Contact customer service for warranty terms and conditions.



FireKing FireShield®

Light in weight, heavy on fire resistance. The 2-drawer file cabinet includes a Safe-In-A-File for extra protection. ETL verified for 1-hour fire protection for paper documents and digital media (flash drives, hard drives, CDs and DVDs).

2S1822-DDSSF

Diamond Stone finish



1-hr
fire rated



water
resistant



theft
resistant



Made in the
U.S.A.



A structural fire
occurs every
63 seconds.

Specifications

Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
FireKing FireShield® *				
2S1822-DDSSF	10 ³ / ₈ " x 12 ³ / ₈ " x 15 ¹ / ₈ "	27 ³ / ₄ " x 17 ³ / ₄ " x 22 ¹ / ₈ "	237 lbs.	1.3 cu. ft.

*Limited one year warranty. Contact customer service for warranty terms and conditions.


FIRE RATED

FireKing® End Tab Filing >

For important end-tabbed documents, FireKing's durable fire rated end-tab storage cabinets are designed specifically to file and protect your end-tab filing. Four adjustable dividers per shelf for letter size end tab filing and six permanently installed dividers per shelf for legal size.

CF7236 Shown in Parchment
Each 72" tall cabinet accommodates 6 fixed shelves

CF4436 Shown in Parchment
Each 42" tall cabinet accommodates 3 fixed shelves



high-security
key lock

1-hr
fire rated

water
resistant

Made in the
U.S.A.




< FireKing® Storage Cabinets

Discover what's in store. Equipped with a weight capacity of 160 lbs. per shelf to accommodate those larger, heavier storage requirements.

CF7236-D Shown in Parchment
72" tall with 4 adjustable shelves

CF4436-D Shown in Parchment
44" tall with 2 adjustable shelves



high-security
key lock

1-hr
fire rated

water
resistant

Made in the
U.S.A.

Specifications

Model No.	Description	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.
FireKing® End Tab Filing*				
CF7236-MD	Letter Size End Tab filing	67 $\frac{7}{8}$ " x 31 $\frac{1}{8}$ " x 13"	72" x 36" x 19 $\frac{1}{4}$ "	948 lbs.
CF4436-MD	Letter Size End Tab filing	39 $\frac{3}{8}$ " x 31 $\frac{1}{8}$ " x 13"	44" x 36" x 19 $\frac{1}{4}$ "	698 lbs.
CF7236-MD-LGL	Legal Size End Tab filing	67 $\frac{7}{8}$ " x 31 $\frac{1}{8}$ " x 13"	72" x 36" x 19 $\frac{1}{4}$ "	948 lbs.
CF4436-MD-LGL	Legal Size End Tab filing	39 $\frac{3}{8}$ " x 31 $\frac{1}{8}$ " x 13"	44" x 36" x 19 $\frac{1}{4}$ "	698 lbs.
<i>Accommodates 6 rows and 3 rows.</i>				
FireKing® Storage Cabinets*				
CF7236-D	4 Adjustable Shelves	67 $\frac{7}{8}$ " x 31 $\frac{1}{8}$ " x 15"	72" x 36" x 19 $\frac{1}{4}$ "	892 lbs.
CF4436-D	2 Adjustable Shelves	39 $\frac{3}{8}$ " x 31 $\frac{1}{8}$ " x 15"	44" x 36" x 19 $\frac{1}{4}$ "	620 lbs.

*Limited lifetime warranty with free replacement after fire guarantee. Contact customer service for warranty terms and conditions.

sales@filingtoday.com

www.FilingToday.com

888-891-1970

Accessories (File Cabinets)

You have many options to customize your FireKing® cabinets. You can add security features as well as accessories that will help you tailor your cabinet to your document types.

Note: Some accessories and options may not be available on certain Filing Cabinets.



- ◀ **Casters**
Make your FireKing® file cabinet portable with a castor base.



- ◀ **Cross Tray**
Cross trays sit horizontally or vertically across a standard file drawer and are great for storing small items, cards, checks, etc.



- ◀ **Inner Drawer**
The inner drawer accessory fits inside standard file drawers and comes complete with glide rails for smooth operation. Factory installed.



- ◀ **Document Inserts**
Opt for document inserts and provide a convenient way to file various nonstandard size documents, a top inner drawer (factory installed) or section inserts with 1 to 6 sections.



- ◀ **File Lock Options**
Electronic locks are available for most FireKing® file cabinets. Specify one e-lock for the cabinet or order your file with e-locks on each drawer. (Not available on Turtle®, Patriot by FireKing® Files or FireShield®.)

Accessories (Storage Cabinets)

You have many options to customize your storage cabinets. You can add accessories that will help you tailor your cabinet to meet your needs.



- ◀ **Letter Size End Tab Filing**
Store end tab files with adjustable and modular end tab filing shelves for easy, at a glance records archiving.



- ◀ **File Drawer**
Our modular file drawer comes in either a legal configuration, storing two rows of legal size folders side by side, or letter configuration, holding letter size folders in a single row.



- ◀ **Pull Out Shelf**
Create a convenient tabletop workspace in seconds with the pull out tray. It's sturdy enough to act as a writing surface, and discreet enough to slide out of the way when not in use.



- ◀ **Blueprint Holder**
Organize, store and access blueprints quickly with this convenient accessory. Blueprints are stored unfurled and upright so that designs and schematics are stored for easy access and protection.

All FireKing filing cabinets are manufactured in New Albany, Indiana, USA.



FIRE RATED



DS1817-1

Safe shown with Composite Drawers and Fixed Shelf (sold separately)



DS6431-2

Safe shown with Composite Drawers and Fixed Shelf (sold separately)

FireKing® 1-Hour Fire Rated Data Safes


Computer media is easily damaged – but not with a FireKing® Data Safe on the job. Available in 2 sizes, features a UL® Class 125 1-hour fire rating.**

Features:

- Equipped with a high security key lock
- Available in our Platinum finish

Optional Interiors

- CS12-FS Fixed shelf for DS1513-1
- CS12-CD Composite drawer for DS1513-1
- CS16-FS Fixed shelf for DS1817-1
- CS16-CD Composite drawer for DS1817-1



high-security key lock

1-hr - 125' rating

water resistant

Made in the U.S.A.

FireKing® 2-Hour Fire with Impact Rated Data Safes


Makes an impact – and withstands one, too. Incorporates layers of heat absorbing material, fire resistant insulating foam and a tough steel casing. Each FireKing® 2-Hour Safe carries a UL® Class 125 2-hour fire and impact rating.***

Features:

- Programmable electronic lock for security and easy access
- Available in our Light Gray finish
- Optional interiors allow various configurations to meet your storage needs

Optional Interiors

- CS20-FS Fixed shelf for DS6420-2
- CS20-CD Composite drawer for DS6420-2
- CS31-FS Fixed shelf for DS6431-2
- CS31-CD Composite drawer for DS6431-2



theft resistant

30 ft impact rated

2-hr - 125' rating

water resistant

Specifications

Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
FireKing® 1-Hour Fire Rated Data Safes*				
DS1513-1	14 ³ / ₈ " x 12 ⁷ / ₁₀ " x 12 ¹ / ₁₀ "	25 ¹ / ₂ " x 21 ¹ / ₂ " x 22 ² / ₅ "	297 lbs.	1.3 cu. ft.
DS1817-1	17 ⁵ / ₈ " x 16 ³ / ₈ " x 17"	28 ³ / ₈ " x 25 ¹ / ₂ " x 26 ³ / ₈ "	429 lbs.	2.8 cu. ft.
<i>See your dealer for the complete selection of interior designs.</i>				
FireKing® 2-Hour Fire with Impact Rated Data Safes*				
DS6420-2	63 ¹ / ₈ " x 19 ⁵ / ₁₆ " x 15 ¹³ / ₁₆ "	76 ¹³ / ₁₆ " x 29 ⁷ / ₁₆ " x 30"	1,380 lbs.	11.2 cu. ft.
DS6431-2	63 ¹ / ₈ " x 30 ³ / ₄ " x 18 ³ / ₁₆ "	76 ¹³ / ₁₆ " x 40 ⁷ / ₈ " x 32 ² / ₁₆ "	1,870 lbs.	20.9 cu. ft.

*Limited one year warranty. Contact customer service for warranty terms and conditions.

Test Procedures

**Maintain an interior temperature less than 125°F and an interior relative humidity less than 80% for Class 125, when exposed to fire as per the Standard Time Temperature Curve for 1 hour to 1700°F. Successfully undergo all other requirements for the Fire Endurance Test, the Explosion Hazard Test, and the Humidity Test.

***Maintain an interior temperature less than 125°F and an interior relative humidity less than 80% for Class 125, when exposed to fire as per the Standard Time Temperature Curve for 2 hours to 1850°F. Successfully undergo all other requirements for the Fire Endurance Test, the Explosion Hazard Test, the Humidity Test and the Fire and Impact Test.



DM2513-3

< FireKing® 3-Hour Fire with Impact Rated Data Safes


You're in safe hands – with our highest rated safe. Available in five sizes, all featuring UL Residential Security Container (RSC) rating and UL® Class 125 3-hour fire and impact rating.**

Features:

- Programmable electronic lock for security and easy access
- Available in our Platinum finish
- Canadian UL Class 52 3-hour as to fire and impact resistance

Optional Interiors

- CM12-FS Fixed shelf for DM1413/2513-3
- CM12-CD Composite Drawer for DM1413/2513-3
- CM19-FS Fixed shelf for DM2520/3420/4420-3
- CM19-CD Composite Drawer for DM2520/3420/4420-3



DP2150-M

< FireKing® Mixed Media Safe


Two safes in one – the ultimate in versatile protection. The top section holds paper records and files, while the bottom section holds media.

Media Compartment Optional Interiors

- CM19-FS Fixed shelf
- CM19-CD Composite Drawer

Paper Compartment Optional Interiors

- S-21 Fixed shelf



Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
FireKing® 3-Hour Fire with Impact Rated Data Safes*				
DM1413-3	13 ⁵ / ₈ " x 11 ¹ / ₂ " x 16 ¹¹ / ₁₆ "	29 ⁵ / ₈ " x 25 ¹ / ₄ " x 31"	650 lbs.	1.5 cu. ft.
DM2513-3	24 ⁵ / ₁₆ " x 11 ¹ / ₂ " x 16 ¹¹ / ₁₆ "	40 ¹ / ₄ " x 25 ¹ / ₄ " x 31"	740 lbs.	2.7 cu. ft.
DM2520-3	24 ⁹ / ₁₆ " x 18 ⁵ / ₈ " x 16 ¹¹ / ₁₆ "	40 ¹ / ₄ " x 32 ¹ / ₁₆ " x 31"	1,050 lbs.	4.5 cu. ft.
DM3420-3	33 ¹ / ₈ " x 18 ⁵ / ₈ " x 16 ¹¹ / ₁₆ "	49 ¹ / ₁₆ " x 32 ¹ / ₁₆ " x 31"	1,240 lbs.	6.0 cu. ft.
DM4420-3	43 ⁵ / ₈ " x 18 ⁵ / ₈ " x 16 ¹¹ / ₁₆ "	59 ³ / ₄ " x 32 ¹ / ₁₆ " x 31"	1,420 lbs.	7.9 cu. ft.

See your dealer for the complete selection of interior designs. *Exterior depth does not include handle depth of 1¹/₁₆".

FireKing® Mixed Media Safe*

DP2150-M		59 ³ / ₄ " x 32 ¹ / ₁₆ " x 31"	1,290 lbs.	
Paper compartment	19 ¹ / ₂ " x 26 ³ / ₄ " x 20 ²⁹ / ₃₂ "			6.1 cu. ft.
Media compartment	24 ⁵ / ₁₆ " x 18 ⁵ / ₈ " x 16 ¹¹ / ₁₆ "			4.4 cu. ft.

*Limited one year warranty. Contact customer service for warranty terms and conditions.

Test Procedure

**Maintain an interior temperature less than 125°F and an interior relative humidity less than 80% for Class 125, when exposed to fire as per the Standard Time Temperature Curve for 3 hours to UL 925. Successfully undergo all other requirements for the Fire Endurance Test, the Explosion Hazard Test and the Humidity Test.

sales@filingtoday.com

www.FilingToday.com

888-891-1970

FIRE RATED

FireKing® Fire & Water Resistant Safes

Economical yet uncompromised fire protection! This heavy steel construction safe is equipped with an electronic lock for basic theft security, deterring burglary and shrinkage. These safes also carry a 1/2-hour, 1-hour or 1 1/2-hour rated fire label and are water resistant.



Comes standard with 2 adjustable shelves.



Comes standard with 1 tray.

- 1-Hour Fire Rated**
- 4 user programmable lock
 - Adjustable shelf (KF1509-1WHE)
 - 9V battery required (included)
 - 2 live bolts
 - 2 deadbolts
 - Available in White finish
 - Bolt down kit included



1-hr fire rated theft resistant water resistant

- 1/2-Hour Fire Rated**
- 2 user programmable lock
 - Override key included
 - 9V battery required (included)
 - 4 live bolts
 - 3 deadbolts
 - Available in Black finish
 - Bolt down kit included



1/2-hr fire rated theft resistant water resistant



Comes standard with 1 shelf.

- 1 1/2-Hour Fire Rated**
- 4 user programmable lock
 - Tray (KF1612-2WHE)
 - Key-locking drawer (KF1814-2WHE)
 - 9V battery required (included)
 - Up to 5 live bolts
 - Up to 3 deadbolts
 - Available in White finish



1 1/2-hr fire rated theft resistant water resistant



A patent for fire hydrant idea was obtained in 1801, but unfortunately, there is no official record of this patent since many patents including this one, were destroyed in an 1836 fire.

Specifications

Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
1/2-Hour Fire Rated*				
KF2418-HBLE	24 1/4" x 18 1/2" x 15 1/2"	27 7/8" x 21 3/8" x 19"	187 lbs.	4.02 cu. ft.
1-Hour Fire Rated*				
KF0812-1WHE	8" x 12 1/3" x 9 1/4"	11 3/4" x 16 1/2" x 14"	81 lbs.	0.53 cu. ft.
KF0915-1WHE	9 1/4" x 15" x 12"	13 3/4" x 19 2/3" x 16 3/4"	125 lbs.	0.97 cu. ft.
KF1509-1WHE	15" x 9 1/4" x 12"	19 1/2" x 13 3/4" x 16 3/4"	125 lbs.	0.97 cu. ft.
1 1/2-Hour Fire Rated*				
KF1612-2WHE	16 3/8" x 12 2/3" x 12 1/8"	21 3/4" x 18 5/8" x 18 1/8"	198 lbs.	1.48 cu. ft.
KF1814-2WHE	18 1/2" x 14 1/8" x 12 1/8"	24" x 19 5/8" x 18 1/2"	231 lbs.	1.85 cu. ft.
KF2115-2WHE	21 1/4" x 15 1/3" x 13 1/2"	26 3/4" x 20 7/8" x 19 1/8"	308 lbs.	1.48 cu. ft.
KF2617-2WHE	26 1/4" x 17 1/2" x 13 1/2"	32" x 23 3/8" x 20"	396 lbs.	1.85 cu. ft.

Depth does not include lock or handle.

sales@fireking.com or 1-800-888-8888. FireKing® Fire & Water Resistant Safes. Contact customer service for warranty terms and conditions.

SureSeal by FireKing® Fire & Water Rated Chests

Buildings destroyed by a fire can be restored. The same can't be said for passports, digital media and other important items. SureSeal by FireKing® chests keep interior dry even when completely submerged for up to 2 hours.



1/2-hr
fire rated



1-hr
fire rated



water
resistant



SS102

Holds #10 envelopes and folded documents

- Complete waterproof protection
- Protects paper documents and digital media (CDs/DVDs, flash drives and portable hard drives)
- Dual compression latches
- Handle



SS103

Holds letter and A4 size documents flat

- Complete waterproof protection
- Protects paper documents and digital media (CDs/DVDs, flash drives and portable hard drives)
- Dual compression latches
- Handle



SS104

Holds letter and legal size files

- Complete waterproof protection
- Protects paper documents and digital media (CDs/DVDs, flash drives and portable hard drives)
- Dual compression latches
- Handle
- Safety hinges



SS106

Holds letter and A4 size hanging file folders

- Complete waterproof protection
- Protects paper documents and digital media (CDs/DVDs, flash drives and portable hard drives)
- Dual compression latches

This product is designed to protect digital media (CDs/DVDs, flash drives and portable hard drives). Please reference our data safes section for protection of film, data cartridges, video/audio cassettes, floppy discs, photos or photo negatives.


Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
1/2-Hour Fire Rated*				
SS102	4½" x 9⅝" x 6"	7⅞" x 12⅞" x 9⅝"	20 lbs.	0.15 cu. ft.
SS103	3⅞" x 13⅞" x 8½"	6½" x 15⅞" x 12⅝"	29 lbs.	0.27 cu. ft.
SS106	10⅞" x 12⅞" x 8⅝"	13" x 16" x 12½"	51 lbs.	0.6 cu. ft.
1-Hour Fire Rated*				
SS104	3⅝" x 14⅝" x 12"	7⅞" x 19⅞" x 17"	56 lbs.	0.38 cu. ft.

*Limited 7 year warranty. Contact customer service for warranty terms and conditions.

SECURITY PRODUCTS

**Sometimes your biggest threat isn't
a fire or natural disaster.**

FireKing® is still your best solution! Security is of the utmost importance for any home or business. Protect your cash and other valuables with FireKing's wide variety of safes for deterring robbery and internal theft. Designed to keep valuables, big or small, in your hands, not theirs.



SECURITY

FireKing® Depository Safes >

Convenient and reliable form of protection from theft and shrinkage in your retail setting. Easy under-the-counter installation. Designed to accept bulky drops and enables you to easily make bank bag type drops and deposits them into the safe. This allows you to make those types of drops without opening the main door to the safe.

Featured:

- Full-length, hinge-side deadbolt
- User friendly, UL listed, electronic lock
- Anti-fish hopper prevents contents from being removed
- Bolt down kit included with pre-drilled anchor holes
- Drill resistant hard plate behind lock
- 6" drop slot



theft resistant



< FireKing® Trim Safe

Reducing your available cash deters robbery and your first line of defense against internal theft. FireKing® Under Counter Safes allow you to deposit larger bills at the Point-of-Sale.

Featured:

- Ideal for cashed-based businesses
- Heavy gauge steel construction
- Slot size: 5 3/8W x 5/8H
- Key lock with two keys



theft resistant

Specifications

Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
FireKing® Depository Safes*				
SB2014-BLEL	19 ⁷ / ₁₀ " x 13 ³ / ₈ " x 11 ¹ / ₈ "	20" x 14" x 14"	94.8 lbs.	0.95 cu. ft.
SB2414-BLEL	23 ⁷ / ₁₀ " x 13 ⁷ / ₁₀ " x 10 ¹ / ₂ "	24" x 14" x 14"	108.03 lbs.	2.72 cu. ft.

Model No.	Inside Dimensions H x W x D	Outside Dimensions H x W x D	Approx. Shipping Wt.	Capacity
FireKing® Trim Safe*				
MS1206	10 ⁵ / ₈ " x 6" x 6"	12" x 6" x 7"	15 lbs.	0.2 cu. ft.

*Limited one year warranty. Contact customer service for warranty terms and conditions.

FireKing® Personal Safes

If you're looking for the best personal safe, FireKing® personal and home safes are designed to be compact and convenient. This makes them ideal for a variety of applications including home, office or dormitory.



theft
resistant

Small HS1207

- Offers protection in a compact size; ideal for home, office, workstations, and automobiles
- Bolt-down kit easily attaches safe to wall or floor
- Digital keypad with 3 to 8 digits programmable code with manual override keys for emergencies



theft
resistant

Large LT1507

- Designed to offer protection for valuable possessions and fits most laptop computers
- Compact size allows easy installation on the wall or floor in home, dorm room, office – even in your automobile
- Electronic lock provides security and easy access (batteries included)
- Manual override key for emergencies
- Tough construction and bolt down kit for added protection



FireKing® Portable Safe >

Compact size makes this unit ideal for home, office, dormitory, workstation or automobile. Equipped with a 3-digit combination lock, foam interior and heavy steel exterior.

Featured:

- Compact size
- 0.9m security cable
- 1mm steel body and door
- Foam interior



theft
resistant



FireKing® is a USA small business with a global reach. You can find FireKing® products in businesses and homes around the world.

Specifications

Model No.	Description	Dimensions H x W x D	Approx. Shipping Wt.	Capacity
FireKing® Personal Safes*				
LT1507	Large Personal Safe	7 ³ / ₁₆ " x 15 ³ / ₄ " x 16 ⁵ / ₈ "	34 lbs.	1.2 cu. ft.
HS1207	Small Personal Safe	7 ³ / ₄ " x 12 ¹ / ₄ " x 7 ³ / ₄ "	19 lbs.	0.3 cu. ft.
FireKing® Portable Safe*				
ML1007	Portable Safe	10" x 7" x 1 ³ / ₄ "	2.5 lbs.	0.035 cu. ft.

*90 day warranty. Contact customer service for warranty terms and conditions.

SAFETY RATINGS

ISO CERTIFICATION

FireKing® is ISO 9001:2015 certified for the manufacture, design and distribution of fireproof filing cabinets including sales and distribution of safes.

UL® 1/2-HOUR FIRE RATING

Underwriter Laboratories® (UL®) tested to maintain an interior temperature less than 350° F when exposed to a fire for 1/2 hour to 1550° F. Examinations are to be made as to the heat insulating properties of the sample as evidenced by the usability of the contents.

UL® 1-HOUR FIRE RATING

Underwriter Laboratories® (UL®) tested to maintain an interior temperature less than 350° F when exposed to a fire for 1 hour to 1700° F. Examinations are to be made as to the heat insulating properties of the sample as evidenced by the usability of the paper contents.

UL® 2-HOUR FIRE RATING

Underwriter Laboratories® (UL®) tested to maintain an interior temperature less than 350° F when exposed to a fire for 2 hour to 1850° F. Examinations are to be made as to the heat insulating properties of the sample as evidenced by the usability of the paper contents.

1/2-HOUR FIRE RATING

Tested to maintain an interior temperature less than 350° F when exposed to a fire for 1/2 hour.

1-HOUR FIRE RATING

Tested to maintain an interior temperature less than 350° F when exposed to a fire for 1 hour.

2-HOUR FIRE RATING

Tested to maintain an interior temperature less than 350° F when exposed to a fire for 2 hour.

UL® 1 HOUR 125 MEDIA RATINGS

Underwriters Laboratories® (UL®) tested to maintain an interior temperature less than 125° F when exposed to a fire for 1 hour to 1700° F. The interior of the unit will have a humidity level of less than 80%. Examinations are to be made as to the heat insulating properties of the sample as evidenced by the usability of the contents.

UL® 2-HOUR 125 MEDIA RATINGS

Underwriters Laboratories® (UL®) tested to maintain an interior temperature less than 125° F when exposed to a fire for 2 hour to 1850° F. The interior of the unit will have a humidity level of less than 80%. Examinations are to be made as to the heat insulating properties of the sample as evidenced by the usability of the contents.

UL® 3 HOUR 125 MEDIA RATINGS

Underwriters Laboratories® (UL®) tested to maintain an interior temperature less than 125° F when exposed to a fire for 3 hour to 1925° F. The interior of the unit will have a humidity level of less than 80%. Examinations are to be made as to the heat insulating properties of the sample as evidenced by the usability of the contents.

ETL ELECTRONIC MEDIA - 30 MIN

Intertek test for fire tested for 30 minutes up to 1550° F. Examinations are to be made as to the heat insulating properties of the sample as evidence by the usability of the electronic media.

ETL WATER RESISTANT

Unit is protected when exposed to sprinkler spray. Examinations are made as to the moisture content within the unit.

WATER RESISTANT

Designed to prevent water damage resulting from sprinklers and fire hoses.

UL® 30 FOOT IMPACT RATINGS

Underwriter Laboratories® (UL®) tested immediately following the fire test, the unit is removed from the furnace and dropped 30' onto a riprap of brick on a heavy concrete base. The unit is then inverted and reheated for at least 30 minutes to 1550° F or more.

2000° EXPLOSION HAZARD RATINGS

Underwriter Laboratories® (UL®) tested. The oven is heated to 2000° F, the unit is placed in the heated oven and kept in for at least 30 minutes. Examinations are to be made as to the heat insulating properties of the sample as evidenced by the usability of the paper contents.

UL® HIGH SECURITY KEYLOCK

Underwriter Laboratories® (UL®) listed to resist picking and drilling, and keys cannot be duplicated except through FireKing. This means access to your vital records is limited to authorized key holders only.

UL® RSC BURGLARY RATING

A Residential Security Container (RSC) is tested to withstand five full minutes of rigorous prying, drilling, punching, chiseling, and tampering attacks by UL technicians.





THEFT RESISTANT

Designed to protect against theft.




**Whatever your protection needs,
FireKing® has a solution.
The things that matter the most deserve
the best protection money can buy.**



 900 Park Place • New Albany, IN 47150, USA  812-948-8400 or 800-457-2424  812-948-0437 or 800-227-7513  customerservice@fireking.com

sales@filingtoday.com

 www.fireking.com
www.FilingToday.com

888-891-1970