





**SCREENFLEX®**  
Portable Room Dividers  
*Proudly made in the USA*



# PROVIDES PRIVACY. DIVIDES SPACE.

Save time, money, and improve your facility usage  
with Screenflex Portable Room Dividers.

1-888-891-1970

[www.FilingToday.com](http://www.FilingToday.com)


[sales@filingtoday.com](mailto:sales@filingtoday.com)



# QUALITY AND EXCELLENCE

Screenflex has a rich tradition of manufacturing excellence and versatile portable partition design. These factors combine to provide you long-lasting movable dividers which not only help you better utilize your space but are also aesthetically pleasing. We are here to assist you in finding the right room divider size and color to create classrooms, private areas, movable displays and more.





**A. POSITION CONTROL HINGES**

Molded position control hinges help the divider remain in the desired configuration.



**B. FULL-LENGTH HINGES**

Aluminum hinges are screwed into each panel every four inches, from top to bottom, to provide strength and stability.




**C. SOUND ABSORBING**

Each panel is constructed using a 1/2" closed cell honeycomb core covered by two layers of fiberglass insulation on each side for maximum sound absorption.




**D. UNMATCHED STABILITY**

Sturdy end frames provide maximum stability, and have helped us earn patent #6892784 "Stabilized Portable Room Divider".



**E. TACKABLE PANELS**

Tack, pin, or staple items directly onto the panels.




**F. STORAGE LATCHES**

Locking storage latches on both ends keep the panels securely in place while moving or when storing the divider. Located at the bottom of the divider.



**G. OPTIONAL FEATURE**

Optional chrome plated Multi-Unit Connector.



**H. SELF-LEVELING CASTERS**

Adjusting to uneven surfaces, self-leveling casters provide added stability.



**I. LOCKING CORNER CASTERS**

Pedal activated brakes on end casters keep the divider secure and stable.



**J: COMPACT STORAGE**

Stores compactly in a 2x3 ft space.

# INNOVATIVE FEATURES

Focusing on our customers and providing solutions to their space dividing needs are just two of the many reasons why Screenflex is the leader in the industry. We use the highest caliber of materials to create all of our innovative features which results in the superior construction of all of our room dividers.



**BEST SELLER**

# STANDARD ROOM DIVIDER

6 Heights | 6 Lengths | 38 Colors

- Best-selling divider
- Divide rooms
- Display material
- Absorb sound
- Tackable panels

PRICES ARE PER ROOM DIVIDER

## DESIGNER FABRIC

DB-LAKE	DG-STONE
DM-ROSE	DN-MALLARD
DO-WALNUT	DW-DESERT
DX-CHARCOAL BLACK	DT-WHITE
DS-PRIMARY BLUE	DY-PRIMARY YELLOW
DR-PRIMARY RED	DV-NAVY
DA-APPLE GREEN	DP-PURPLE
DJ-ORANGE	DE-AUBURN
DD-DARK BROWN	

## EXCEL FABRIC

EB-SUMMER BLUE	EG-GREY SMOKE
EM-CRANBERRY	EN-SEA GREEN
EO-BEECH	EW-SAND


LENGTH	HEIGHT					
	4'-0"	5'-0"	6'-0"	6'-8"	7'-4"	8'-0"
5'-9" (3 panel divider)	FSL403 72 lbs.	FSL503 79 lbs.	FSL603 86 lbs.	FSL683 90 lbs.	FSL743 99 lbs.	FSL803 104 lbs.
9'-5" (5 panel divider)	FSL405 87 lbs.	FSL505 97 lbs.	FSL605 107 lbs.	FSL685 111 lbs.	FSL745 121 lbs.	FSL805 128 lbs.
13'-1" (7 panel divider)	FSL407 102 lbs.	FSL507 115 lbs.	FSL607 128 lbs.	FSL687 132 lbs.	FSL747 143 lbs.	FSL807 152 lbs.
16'-9" (9 panel divider)	FSL409 117 lbs.	FSL509 133 lbs.	FSL609 149 lbs.	FSL689 153 lbs.	FSL749 165 lbs.	FSL809 176 lbs.
20'-5" (11 panel divider)	FSL4011 132 lbs.	FSL5011 151 lbs.	FSL6011 170 lbs.	FSL6811 174 lbs.	FSL7411 187 lbs.	FSL8011 200 lbs.
24'-1" (13 panel divider)	FSL4013 147 lbs.	FSL5013 169 lbs.	FSL6013 191 lbs.	FSL6813 195 lbs.	FSL7413 208 lbs.	FSL8013 220 lbs.



**Making the most out of your space is ideal. Utilize our portable room dividers to create extra classrooms as needed.**

*Multiple Dividers Nest Together for Compact Storage!*





# WALLMOUNT

6 Heights | 6 Lengths | 38 Colors

- Attaches to a wall at one end and opens with ease
- Folds flat against the wall when stored
- End frame required for larger sizes
- Tackable panels

PRICES ARE PER ROOM DIVIDER

## DESIGNER FABRIC

- |                   |                   |
|-------------------|-------------------|
| DB-LAKE           | DG-STONE          |
| DM-ROSE           | DN-MALLARD        |
| DO-WALNUT         | DW-DESERT         |
| DX-CHARCOAL BLACK | DT-WHITE          |
| DS-PRIMARY BLUE   | DY-PRIMARY YELLOW |
| DR-PRIMARY RED    | DV-NAVY           |
| DA-APPLE GREEN    | DP-PURPLE         |
| DJ-ORANGE         | DE-AUBURN         |
| DD-DARK BROWN     |                   |

## EXCEL FABRIC

- |                |               |
|----------------|---------------|
| EB-SUMMER BLUE | EG-GREY SMOKE |
| EM-CRANBERRY   | EN-SEA GREEN  |
| EO-BEECH       | EW-SAND       |

www.FilingToday.com

LENGTH	HEIGHT					
	4'-0"	5'-0"	6'-0"	6'-8"	7'-4"	8'-0"
5'-6" (3 panel divider)	WM(L/R)403 41 lbs.	WM(L/R)503 50 lbs.	WM(L/R)603 54 lbs.	WM(L/R)683 65 lbs.	WM(L/R)743 71 lbs.	WM(L/R)803 99 lbs.
9'-2" (5 panel divider)	WM(L/R)405 55 lbs.	WM(L/R)505 67 lbs.	WM(L/R)605 74 lbs.	WM(L/R)685 86 lbs.	WM(L/R)745 93 lbs.	WM(L/R)805 122 lbs.
12'-10" (7 panel divider)	WM(L/R)407 69 lbs.	WM(L/R)507 84 lbs.	WM(L/R)607 94 lbs.	WM(L/R)687 107 lbs.	WM(L/R)747 135 lbs.	WM(L/R)807 145 lbs.
16'-6" (9 panel divider)	WM(L/R)409 83 lbs.	WM(L/R)509 101 lbs.	WM(L/R)609 114 lbs.	WM(L/R)689 148 lbs.	WM(L/R)749 157 lbs.	WM(L/R)809 168 lbs.
20'-2" (11 panel divider)	WM(L/R)4011 97 lbs.	WM(L/R)5011 118 lbs.	WM(L/R)6011 154 lbs.	WM(L/R)6811 169 lbs.	WM(L/R)7411 179 lbs.	WM(L/R)8011 191 lbs.
23'-10" (13 panel divider)	WM(L/R)4013 111 lbs.	WM(L/R)5013 135 lbs.	WM(L/R)6013 174 lbs.	WM(L/R)6813 180 lbs.	WM(L/R)7413 201 lbs.	WM(L/R)8013 214 lbs.

sales@filingtoday.com





Create privacy in an open office concept. Folds against wall when not in use. **Note:** Shown with optional marker board.

NOTE: HAND-(R) Right or (L) Left - Indicates to which side of the mounting point the divider panels stack when folded against the wall for storage. For example, ordering code WM(L)607-DR (shown above) indicates a WALLmount divider - left hand: 6'-0" high, 7 panels in length (12'-10"), primary red fabric.

These units require an end frame:

- All 8ft dividers
- All 11 panel dividers
- All 13 panel dividers
- 6'-8"H, 7'-4"H , 8'-0" H
- 9 panel dividers






# HEAVY DUTY

2 Heights | 6 Lengths | 38 Colors

- Durability and functionality
- Robust construction
- Reinforced end frames
- Sound absorbing



Upper and Lower Gusset Plates



Powder Painted Industrial Hinges



Raised Storage Latch



Reinforced End Frame



Upgraded Multi-Unit Connector



Strengthened Leg Assembly



Dual Heavy Duty Casters



Deep Channel Leg Supports

LENGTH	HEIGHT	
	6'-0"	7'-4"
5'-9" (3 panel divider)	HFSL603 105 lbs.	HFSL743 122 lbs.
9'-5" (5 panel divider)	HFSL605 125 lbs.	HFSL745 144 lbs.
13'-1" (7 panel divider)	HFSL607 145 lbs.	HFSL747 166 lbs.
16'-9" (9 panel divider)	HFSL609 165 lbs.	HFSL749 188 lbs.
20'-5" (11 panel divider)	HFSL6011 185 lbs.	HFSL7411 210 lbs.
24'-1" (13 panel divider)	HFSL6013 205 lbs.	HFSL7413 232 lbs.





**Warehouse Safety**

**Caution!**  
Forklifts Operating in this Area

- 1. Do not enter the work area unless you have been authorized by the supervisor.
- 2. Do not enter the work area unless you have been authorized by the supervisor.
- 3. Do not enter the work area unless you have been authorized by the supervisor.
- 4. Do not enter the work area unless you have been authorized by the supervisor.
- 5. Do not enter the work area unless you have been authorized by the supervisor.
- 6. Do not enter the work area unless you have been authorized by the supervisor.
- 7. Do not enter the work area unless you have been authorized by the supervisor.
- 8. Do not enter the work area unless you have been authorized by the supervisor.
- 9. Do not enter the work area unless you have been authorized by the supervisor.
- 10. Do not enter the work area unless you have been authorized by the supervisor.

**SAFETY INSTRUCTIONS**

No open toed shoes permitted in warehouse.

**SITE SAFETY NOTI**

Unauthorized entry into site is strictly prohibited.

**WARNING: CONSTRUCTION IN PROGRESS**  
Parents are advised to warn children of dangers of entering construction site.

**Safety helmet must be worn**

**Safety footwear must be worn**

Dividing space in your warehouse promotes safety and flexibility.




**BEST SELLER**

# PLEXIGLASS DIVIDERS

1 Height | 4 Lengths

- Protects from germs
- Wipes clean
- Wet erase compatible
- Optional Multi-Unit Connector can attach multiple units together




LENGTH	HEIGHT 6'2"		
	Clear	Bottom 1/2 Frosted	Frosted
3'-4" (1 panel divider)	*CRD1 55 lbs	*CRDFH1 55 lbs	*CRDFF1 55 lbs
10'-0" (3 panel divider)	CRD3 120 lbs	CRDFH3 120 lbs	CRDFF3 120 lbs
16'-8" (5 panel divider)	CRD5 185 lbs	CRDFH5 185 lbs	CRDFF5 185 lbs
23'-4" (7 panel divider)	CRD7 250 lbs	CRDFH7 250 lbs	CRDFF7 250 lbs

\* Minor Assembly Required (1 panel only)



**By creating a temporary barrier, dividers limit close contact and help reduce the spread of germs.**




# LIGHT DUTY

1 Height | 2 Lengths | 38 Colors

- *Cost-effective*
- *Light-weight*
- *Glides effortlessly into position*



Adjustable Casters



Position Control Hinges Included




Low Profile End Frame

LENGTH	HEIGHT	
	6'-5"	Vinyl/Se-
5'-9" (3 panel divider)	BFSL683 60 lbs.	BFSL683 60 lbs.
9'-5" (5 panel divider)	BFSL685 75 lbs.	BFSL685 75 lbs.

Minor Assembly Required

Cost-effective and lightweight. Glides effortlessly into position. Folds compactly when not in use.





# HEALTHFLEX



1 Height | 2 Lengths | 38 Colors

- *Most economical portable divider*
- *Light-weight, durable, and flexible*
- *Antimicrobial coating helps reduce the spread of germs*

LENGTH	HEIGHT
5'-9" (3 panel divider)	HKDL603 45 lbs.
9'-5" (5 panel divider)	HKDL605 55 lbs.

Minor Assembly Required



*Where is the Nurse?*

- COME ON IN!
- IN A CLASSROOM
- WITH A STUDENT
- IN A MEETING
- BE RIGHT BACK
- GONE FOR THE DAY

**OLD OR THE FLU?**

	INFLUENZA
ONSET	ABRUPT
SYMPTOMS	FEVER, SORE THROAT, HEADACHE
DIAGNOSIS	PHYSICIAN VISIT
TREATMENT	REST, FLUIDS
PREVENTION	VACCINATION
COMPLICATIONS	PNEUMONIA, EAR INFECTIONS, SINUSITIS
DEATH	RARE
RECOVERY	1-2 WEEKS
RETURN TO SCHOOL	24-48 HOURS
RETURN TO WORK	7-10 DAYS
RETURN TO NORMAL	1-2 WEEKS

**Healthy Daily Habits For KIDS**

**WASH YOUR HANDS**  
Wash your hands often with soap and water for at least 20 seconds. Use hand sanitizer if soap and water are not available.

**GET VACCINATED**  
Get your child vaccinated against common childhood diseases. Get a flu shot every year.

**EAT HEALTHY**  
Eat a variety of fruits, vegetables, and whole grains. Avoid sugary drinks and snacks.

**GET ENOUGH SLEEP**  
Children need 9-12 hours of sleep each night. Establish a regular bedtime routine.

**STAY ACTIVE**  
Encourage your child to play outside and be active every day.

**Ultra low profile end frame requires minor assembly.**

When floor space is at a minimum, dividing areas using our "single support" FlexFit divider is a great solution.



6"

# FLEXFIT

1 Height | 5 Lengths | 38 Colors

- *Cost-effective*
- *Light-weight*
- *3-point end frame on one side of divider*

161-888-891-1970

[www.FilingToday.com](http://www.FilingToday.com)

LENGTH	HEIGHT	
	6'-0"	Vinyl/Select
5'-8" (3 panel divider)	FTL603 76 lbs.	FTL603 76 lbs.
7'-6" (4 panel divider)	FTL604 86 lbs.	FTL604 86 lbs.
9'-4" (5 panel divider)	FTL605 96 lbs.	FTL605 96 lbs.
11'-2" (6 panel divider)	FTL606 106 lbs.	FTL606 106 lbs.
13'-0" (7 panel divider)	FTL607 116 lbs.	FTL607 116 lbs.

[sales@filingtoday.com](mailto:sales@filingtoday.com)





Effective solution to modifying any space for instant distraction free privacy for testing and more.

# STUDY CARRELS

1 Height | 2 Lengths | 38 Colors

- Cost-effective
- Light-weight
- Instant distraction free privacy
- Folds flat against wall

1-888-891-1970



LENGTH	HEIGHT	
	6'-0"	Vinyl/Select
3'-8" (2 panel divider)	SCL602 17 lbs.	SCL602 17 lbs.
5'-6" (3 panel divider)	SCL603 17 lbs.	SCL603 17 lbs.



Fully interactive space, gaining versatility and functionality


# DRY ERASE/TACKABLE

1 Height | 6 Lengths | 1 Color

- Dry Erase or Magnetic/Dry Erase (one side)
- 3/4" Thick sound absorbing, tackable panels (one side)
- Position control hinges



LENGTH	HEIGHT	
	6'-0" Dry Erase	6'-0" Optional Magnetic
5'-9" (3 panel divider)	FSL603-DX/WB 86 lbs.	FSL603-DX/WM 86 lbs.
9'-5" (5 panel divider)	FSL605-DX/WB 107 lbs.	FSL605-DX/WM 107 lbs.
13'-1" (7 panel divider)	FSL607-DX/WB 128 lbs.	FSL607-DX/WM 128 lbs.
16'-9" (9 panel divider)	FSL609-DX/WB 149 lbs.	FSL609-DX/WM 149 lbs.
20'-5" (11 panel divider)	FSL6011-DX/WB 170 lbs.	FSL6011-DX/WM 170 lbs.
24'-1" (13 panel divider)	FSL6013-DX/WB 191 lbs.	FSL6013-DX/WM 191 lbs.



Double sided mobile whiteboard featuring  
1 and 3 panel options

# WHITEBOARD

1 Height | 2 Lengths

- *Dry Erase compatible*
- *Optional Multi-Unit Connector to attach multiple partitions together*
- *PaneLocks*



LENGTH	HEIGHT
	6'-2"
3'-4" (1 panel divider)	*CRDW1 55 lbs.
10'-0" (3 panel divider)	CRDW3 120 lbs.

Minor Assembly Required ( 1 panel only)

6 Panel 136 sq. ft of display area



3 Panel 68 sq. ft of display area



# DISPLAY TOWER

2 Heights | 2 Panel Options | 30 Colors

- Tack, pin, or staple artwork, flyers or other materials
- PaneLocks top and bottom
- Folds flat for storage
- Portable

LENGTH	HEIGHT	
	5'-9"	6'-5"
(3 panel divider)	DS603 35 lbs.	DS683 40 lbs.
(6 panel divider)	DS606 60 lbs.	DS686 65 lbs.



*Includes mounting brackets and hardware*

# ACOUSTICAL WALL PANEL

2 Depths | 6 sizes | 30 Colors

- Tack, pin, or staple artwork, flyers or other materials
- Dampens sound

VERTICAL MOUNT [ x 22" W ]						
HEIGHT	42"	54"	66"	74"	82"	90"
¾" Depth	WPS40	WPS50	WPS60	WPS68	WPS74	WPS80
1½" Depth	WPD40	WPD50	WPD60	WPD68	WPD74	WPD80
HORIZONTAL MOUNT [ x 22"H ]						
LENGTH	42"	54"	66"	74"	82"	90"
¾" Depth	WPSH40	WPSH50	WPSH60	WPSH68	WPSH74	WPSH80
1½" Depth	WPDH40	WPDH50	WPDH60	WPDH68	WPDH74	WPDH80

# Product Options



## Multi-Unit Connector

The optional chrome plated Multi-Unit Connector is affixed to the end frame of most Room Dividers. This allows two or more room dividers to be connected to form longer lengths. One set per divider.

MULTI-UNIT CONNECTOR
GL



## Door Panel

This swing-style door opens 90° from either direction and can be held open by an industrial magnet. An optional window may be added if desired. A door panel adds 24" of length to the end of the divider. Multi-unit connector included. 38 colors.

DOOR PANEL HEIGHT					
4'-0"	5'-0"	6'-0"	6'-8"	7'-4"	8'-0"
DR40	DR50	DR60	DR68	DR74	DR80



## Wall Frame

Once installed on a wall, this innovative option converts movable dividers or door panels into a semi-permanent installation. Mounts directly to wall and can accommodate divider or door panel. Multi-Unit connector included.


WALL FRAME HEIGHT			
6'-0"	6'-8"	7'-4"	8'-0"
WF60	WF68	WF74	WF80



## Windows

Factory installed plexiglass windows are available in three sizes. Some restrictions apply. Call for details.

WINDOW SIZE		
10" x 10"	20" x 24"	20" x 48"
WD-KIT	WD-KIT-M	WD-KIT-L



## Artwork Hanger

Each 45" metal Artwork Hanger has eight pre-formed stamped hooks that provide light-weight support. Use to hang items or materials not suitable for pinning. Weight restrictions apply. 8 hooks/Hanger. Hooks are 5" apart. Call for details.


ARTWORK HANGER
AHU



## Storage Caddy

This durable nylon Storage Caddy fits over the end frame of most room dividers. Two zippered pouches and six open pockets provide storage for notebooks, pens, art materials and more.

STORAGE CADDY
STC



## Dry Erase Panels

Convert any Screenflex panel into a dry erase panel with bright white material that can be written on and wiped clean over and over again. Prices shown are **per side**. Installed in place of fabric. Installed on one or both sides.

*\*Some restrictions apply.*

HEIGHT					
4'-0"	5'-0"	6'-0"	6'-8"	7'-4"	8'-0"
DE40	DE50	DE60	DE68	DE74	DE80



## Markerboard

The optional hanging Markerboard hooks over the top of most room dividers. The included straps are adjustable for several mounting options. Surface is 1/4" thick and is dry erase compatible. 36"H x 42"L. Melamine surface. Brackets included.

MARKERBOARD
MBF



## BlockAide™

Durable water and oil resistant treatment formulated for commercial interior fabrics. Liquid spills will bead up on the surface so that they can be removed before they stain the fibers.

3 panels.....	\$26.00
5 panels.....	\$36.00
7 panels.....	\$51.00
9 panels.....	\$67.00
11 panels.....	\$82.00
13 panels.....	\$97.00

SCOTCHGARD™
SCOTCH

# DESIGNER Fabric Colors

Standard, WALLmount, Heavy Duty, Light Duty, Healthflex, FlexFit, Study Carrels, Display Towers, Acoustical Wall Panels

[scrnflx.us/designer](http://scrnflx.us/designer)



# EXCEL Fabric

Standard, WALLmount, Heavy Duty, Light Duty, Healthflex, FlexFit, Study Carrels, Display Towers, Acoustical Wall Panels

[scrnflx.us/excel](http://scrnflx.us/excel)




UPGRADED FABRIC AND VINYL COLORS (7% UPCHARGE)

# SELECT Fabric

Standard, WALLmount, Heavy Duty, Light Duty, Healthflex, FlexFit, Study Carrels, Display Towers, Acoustical Wall Panels

[scrnflx.us/select](http://scrnflx.us/select)



# ROYAL Vinyl

Standard, WALLmount, Heavy Duty, Light Duty, Healthflex, FlexFit, Study Carrels

[scrnflx.us/vinyl](http://scrnflx.us/vinyl)



## STANDARD MODEL PRODUCT SPECIFICATIONS

- Panels Consist of a ½" Closed Cell Honeycomb Core
- ¾" Depth Sound Absorbing Tackable Panels
- Panels are Bonded with Two Layers of Fiberglass Insulation
- Each Panel is Wrapped in Vinyl or 100% Recycled Non-Woven Polyester Fabric
- #18 Gauge Metal Trim Surrounds Each Panel
- Full-Length Aluminum Hinges Join Each 22" Wide Panel Every Four Inches
- Accordion Style Construction Allows Joined Panels to Unfold 180 Degrees
- Position Control Hinges (top) Help Hold Panels in Place
- Non-Marking Hard Rubber Self-Leveling Casters
- Inner Legs Extend Only 3½" Per Side with 2" Casters
- 29½" Wide, 36" High Steel End Frame with 3" Locking Casters
- Each Height Includes a 5½" Space Between the Floor and the Bottom of the Divider
- Required Space for Divider Storage is 2' x 3', with Locking Storage Latch on Each End Frame
- Manufactured Under the Protection of US Patent Number 6892784...Stabilized Portable Room Divider

## WARRANTY INFORMATION

Manufacturer warrants its products to the original purchaser to be free from defects in workmanship and material for three years from the date of delivery. This limited warranty does not cover misuse, abuse, improper storage, neglect, or damage beyond the control of the manufacturer. Manufacturer's obligation under this warranty shall be limited to the repair or exchange of any part which proves defective under normal use and service. Manufacturer reserves the right to modify specifications, design, and materials without prior notice. Products are manufactured by Screenflex Portable Partitions Inc., Lake Zurich, IL.

## SHIPPING INFORMATION

Most units ship fully assembled from the Screenflex manufacturing facility in Lake Zurich, IL 60047.

Most orders ship within 5-10 business days. Shipping rates vary by destination.

1-888-891-1970

[www.FilingToday.com](http://www.FilingToday.com)



[sales@filingtoday.com](mailto:sales@filingtoday.com) 23

