

QWIK-FENCE® PALLET RACK BACKING



PREVENT OBJECTS FROM FALLING OFF OF OVERHEAD STORAGE SYSTEMS

LIGHTWEIGHT

The frameless design makes our Qwik-Fence® Pallet Rack Backing lightweight and easy to install.

WELDED MESH

Welded mesh provides a safer working environment than netting.

STACKABLE


The sky is the limit! You can add panel after panel to achieve your required screen height.

IN STOCK

We keep a large stock of the most common bay widths in-house to ensure quick shipping for your urgent needs.

The Qwik-Fence® Pallet Rack Backing System is designed to secure an existing pallet rack or bulk rack. This all-steel system provides great fall-down protection for all employees and visitors. The open mesh design allows for quick visual inspection and will not obstruct sprinkler system performance.

With multiple assembly options, the Qwik-Fence® system can be mounted flush or with a variety of stand-off brackets and is easily assembled with all hardware included. The galvanized finish will keep your system looking new for years to come.





Offset brackets are available in different distances



Adjustable extension kit allows you to extend panels past uprights



QWIK-FENCE® PALLET RACK BACKING



PALLET RACK BACKING SYSTEM

PART No.	W×H	WEIGHT
QR-0703	86.5"×36"	23 lbs.
QR-0803	98.5"×36"	25 lbs.
QR-0903	110.5"×36"	28 lbs.
QR-1003	122.5"×36"	31 lbs.
QR-1203	146.5"×36"	39 lbs.
QR-0704	86.5"×48"	29 lbs.
QR-0804	98.5"×48"	32 lbs.
QR-0904	110.5"×48"	36 lbs.
QR-1004	122.5"×48"	39 lbs.
QR-1204	146.5"×48"	49 lbs.
QR-0705	86.5"×60"	36 lbs.
QR-0805	98.5"×60"	39 lbs.
QR-0905	110.5"×60"	43 lbs.
QR-1005	122.5"×60"	48 lbs.

PALLET RACK BACKING PANELS - FLUSH MOUNT

IANLE		100111
PART No.	W×H	WEIGHT
QR-0703-F	86.5"×36"	22 lbs.
QR-0803-F	98.5"×36"	24 lbs.
QR-0903-F	110.5"×36"	27 lbs.
QR-1003-F	122.5"×36"	30 lbs.
QR-1203-F	146.5"×36"	36 lbs.
QR-0704-F	86.5"×48"	28 lbs.
QR-0804-F	98.5"×48"	31 lbs.
QR-0904-F	110.5"×48"	35 lbs.
QR-1004-F	122.5"×48"	38 lbs.
QR-1204-F	146.5"×48"	46 lbs.
QR-0705-F	86.5"×60"	35 lbs.
QR-0805-F	98.5"×60"	38 lbs.
QR-0905-F	110.5"×60"	42 lbs.
QR-1005-F	122.5"×60"	47 lbs.

OFFSET BRACKETS

PART No.	OFFSET	WEIGHT
QR-4	4"	2 lbs.
QR-6	6"	2 lbs.
QR-8	8″	2 lbs.

Note: Hardware supplied to fit 3' wide open uprights. Flush Bracket hardware included with flush mounted panels.

ABOVE RACK ADJUSTABLE EXTENSION KIT

PART No.	SIZE	WEIGHT
QR-EXT	Adjustable	4 lbs.

Panels Wire 8-gauge welded Grid Opening 1 ½" × 3" Finish Galvanized General Warranty 1 Year









STOR-MORE® LOSS PREVENTION STORAGE LOCKER



SLEEK CABINETS TO SECURE YOUR HIGH-VALUE PRODUCTS

STRUCTURAL INTEGRITY

Framed welded mesh is used all around the cabinet and the corners are designed with a sturdy 2" × 2" tubing to provide excellent strength and stability.

► OPTION TO SHIP PRE-ASSEMBLED

When you order a pre-assembled cabinet all you have to do is bolt it to the floor!

COMES WITH TWO SHELF LEVELS


Each shelf level can support up to 200 lbs. UDL and additional shelves can be easily added.

VISIBILITY

Folding Guard's mesh design allows for a quick visual inspection of valuable items.

Standalone Stor-More® Loss Prevention Cabinets are designed to secure small- to medium-sized, high-value products in any location—on the sales floor, in the back room or in the receiving area. The open mesh design of the cabinet allows for a quick visual inspection of contents and does not obstruct sprinkler system performance.

Made from 10-gauge welded wire mesh panels on a 2"×2" frame, constructed of 14-gauge tube, Stor-More® Loss Prevention Cabinets are extremely sturdy and durable. Hinged doors include a built-in cylinder lock and all lockers include two levels of shelves in 4-gauge welded wire. More shelves can be added depending on your needs.





2" × 2" tubing provides strength and stability



All LPCs come equipped with a cylinder lock



STOR-MORE® LOSS PREVENTION STORAGE LOCKER



4000 SERIES

48" Wide | Hinge Door

PART No.	D×H	WEIGHT
LPC-4818-7	18"×84"	230 lbs.
LPC-4830-7	30"×84"	255 lbs.
LPC-4836-7	36"×84"	272 lbs.

Note: 2 shelves included

8000 SERIES

96" Wide | Hinge Double-Door

PART No.	D×H	WEIGHT
LPC-9618-7	18"×84"	325 lbs.
LPC-9630-7	30"×84"	420 lbs.
LPC-9636-7	36"×84"	458 lbs.

Note: 4 shelves included (2 levels)

WELDED WIRE SHELF

PART No.	D×H	WEIGHT
LPC-S-4818	45"×14"	15 lbs.
LPC-S-4830	45"×26"	22 lbs.
LPC-S-4836	45"×32"	26 lbs.

Note: 8000 Series requires two shelves for each full-width level and one shelf for each half-width level.

SPECIFICATIONS		
Panels / Doors		
Frame	14-gauge 1 ½" × 1 ½"	
Wire	10-gauge welded	
Grid Opening	1 ¼" × 2 ½"	
Frame		
Tube	2" × 2", 14-gauge	
Foot Plate	6"×2"×¼"	
Shelves		
Wire	4-gauge welded	
Grid Opening	1 1/4" × 2 1/2"	
General		
Shipping	Knocked-down or fully assembled	
Finish	Powder Coated	
Warranty	1 Year	

